

DS-7600NI-K2/P SERIES NVR



特色與功能

專業與可靠性

- 雙作業系統設計以確保系統運作的穩定性
- ANR 技術可於網路斷線時影像續傳功能以確保資料的完整與可靠性

影像輸入與傳輸

- H.265 / H.265+ / H.264 / H.264+ / MPEG4 影像壓縮格式
- 可支援第三方網路攝影機連線
- 可支援到 32 支網路攝影機連線
- 可支援到 8M 解析度錄影
- 支援攝影機最高 8M 解析度進行即時影像、儲存、回放

影像輸出

- HDMI、VGA 可獨立輸出顯示
- HDMI 最高可支援 4K (3840 × 2160) 解析度輸出

儲存

- 支援內建 2 顆 SATA 硬碟連接
- H.264+ 壓縮格式有效減少儲存空間和節省成本高達 50% ~ 70%

網路介面

- 1 x self-adaptive 10M/100M/1000 Mbps 乙太網路埠
- 提供 8/16 個獨立 PoE 接口

應用方式


- 集中管理網路攝影機，包含設定、資料匯入/匯出、即時資訊顯示、雙向語音對講、韌體更新...等功能
- 可連線海康智慧網路攝影機並可實現影像內容分析(VCA)警報錄影、回放、備份功能
- 支援多種影像內容分析(VCA)警報偵測
- 多分割頻道顯示模式可指定頻道進行即時回放
- 智慧搜尋讓回放更有效率
- 支援硬碟配額和群組模式；不同的頻道可以設定不同錄影的錄影空間與容量
- 支援 Hik-Connect 功能，讓網路連線設定更加容易



產品規格

型號		DS-7608NI-K2	DS-7616NI-K2	DS-7632NI-K2
影像/聲音輸入	IP 影像輸入	8頻道	16頻道	32頻道
	下載頻寬	80 Mbps	160 Mbps	256 Mbps
	上傳頻寬	160 Mbps		
影像/聲音輸出	HDMI 輸出解析度	4K (3840 × 2160) / 2K (2560 × 1440) / 1920 × 1080 / 1600 × 1200 / 1280 × 1024 / 1280 × 720 / 1024 × 768		
	VGA 輸出解析度	1920 × 1080 / 1280 × 1024 / 1280 × 720 / 1024 × 768		
	聲音輸出	RCA x 1 (Linear, 1 K Ω)		
解碼	解碼格式	H.265 / H.265+ / H.264 / H.264+ / MPEG4		
	錄影解析度	8M / 6M / 5M / 4M / 3M / 1080P / UXGA / 720P / VGA / 4CIF / DCIF / 2CIF / CIF / QCIF		
	同步回放	8 頻道	16 頻道	16 頻道
	解碼效能	2 頻道 @ 8M (25fps) / 4 頻道 @ 4M (30fps) / 8 頻道 @ 1080P (30fps)		
網路管理	網路協定	TCP/IP, DHCP, Hik-Connect, DNS, DDNS, NTP, SADP, SMTP, NFS, iSCSI, UPnP™, HTTPS		
硬碟儲存格式	SATA	2 個 SATA 接口		
	容量	每顆硬碟最大支援 10TB (總容量最大 20TB)		
外部端口	雙向語音對講	RCA x 1 (2.0 Vp-p, 1k Ω)		
	網路介面	1 x RJ-45 10/100/1000 Mbps self-adaptive 乙太網路埠		
	USB	前面板: 1 × USB 2.0、後面板: 1 × USB 3.0		
	警報輸入/輸出	4 IN / 1 OUT		
其他	電源	12V DC		
	最大功耗	≤ 40 W		
	功耗 (不含硬碟)	≤ 15 W		
	工作溫度	-10 ~ +55° C (14 ~ 131° F)		
	工作濕度	10 ~ 90 %		
	機殼	385 mm 機殼		
	外型尺寸 (WDH)	385 × 315 × 52 mm (15.2" × 12.4" × 2.0")		
重量 (不含硬碟)	≤ 1 kg (2.2 lb)			

實體介面



索引	項目	索引	項目
1	聲音輸入	6	LAN
2	聲音輸出	7	USB 3.0 接口
3	VGA 輸出	8	GND 接地線
4	HDMI 接口	9	100 to 240 VAC 電源插座
5	控制埠、警報輸入、警報輸出	10	電源開關

產品型號

DS-7608NI-K2, DS-7616NI-K2, DS-7632NI-K2

Distributed by



HIKVISION®

Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
overseasbusiness@hikvision.com

Hikvision USA
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Italy
T +39-0438-6902
info.it@hikvision.com

Hikvision Singapore
T +65-6684-4718
sg@hikvision.com

Hikvision Africa
T +27 (10) 0351172
sale.africa@hikvision.com

Hikvision Europe
T +31-23-55-42-770
info.eu@hikvision.com

Hikvision France
T +33(0)1-85-330-450
info.fr@hikvision.com

Hikvision Oceania
T +61-2-8599-4233
salesau@hikvision.com

Hikvision Hong Kong
T +852-2151-1761

Hikvision Middle East
T +971-4-8816086
salesme@hikvision.com

Hikvision Spain
T +34-91-737-16-55
info.es@hikvision.com

Hikvision Canada
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Russia
T +7-495-669-67-99
saleru@hikvision.com

Hikvision Poland
T +48-22-460-01-50
poland@hikvision.com

Hikvision Korea
T +82-31-731-8841
sales.korea@hikvision.com

Hikvision India
T +91-22-28469900
sales@pramahikvision.com

Hikvision UK
T +01628-902140
support.uk@hikvision.com

Hikvision Brazil
T +55 11 3318-0050
Latam.support@hikvision.com